

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5719686".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 16:55
S2	14	("5719686").URPN.	USPAT	OR	ON	2009/03/17 17:02
S3	3	("5719686").URPN. and (resolution with (vary\$5 or varies or different or unique or variable or plural\$5))	USPAT	OR	ON	2009/03/17 17:04
S4	2	"5719686".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 17:09
S5	20	("4739397" "4862250" "4926250" "5032904" "5220417" "5241403").PN. OR ("5719686").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/17 17:09
S6	1	S5 and (resolution with (vary\$5 or varies or different or unique or variable or plural\$5)) same (mode or transmi \$7 or send\$5)	USPAT	OR	ON	2009/03/17 17:09
S7	48	(resolution with (vary\$5 or varies or different or unique or variable or plural\$5)) same (plural \$5 with (mode) with (transmi\$7 or send\$5))	USPAT	OR	ON	2009/03/17 17:11
S8	22	S7 and (resolution near\$5 (scan\$5 or read \$5))	USPAT	OR	ON	2009/03/17 17:11
S9	384	(resolution with (vary\$5 or varies or different or unique or variable or plural\$5)) same (plural \$5 with (quality))	USPAT	OR	ON	2009/03/17 17:13
S10	5	S7 and S9	USPAT	OR	ON	2009/03/17 17:13

S11	2588	(resolution with (vary\$5 or varies or different or unique or variable or plural\$5)) same ((plural \$5 with (quality)) or (fine or superfine or normal))	USPAT	OR	ON	2009/03/17 17:13
S12	8	S7 and S11	USPAT	OR	ON	2009/03/17 17:14
S13	29800	(resolution) same (fine or superfine or normal)	USPAT	OR	ON	2009/03/17 17:14
S14	17	S7 and S13	USPAT	OR	ON	2009/03/17 17:15
S15	149	(resolution) same ((different or plural\$5) with (mode) with (transmi\$7 or send\$5))	USPAT	OR	ON	2009/03/17 17:16
S16	40	S13 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 17:16
S17	6	S16 and ((fax or facsimile or internet or lan or wan to ftp or (scan\$5 near3 (e \$3mail or mail))) with (mode) with (transmi\$7 or send\$5))	USPAT	OR	ON	2009/03/17 17:21
S18	40513	(resolution) same (ultra \$8 or fine or superfine or normal)	USPAT	OR	ON	2009/03/17 17:26
S19	3511	(resolution) same ((mode or protocol) with (transmi\$7 or send \$5))	USPAT	OR	ON	2009/03/17 17:26
S20	368	S19 and ((fax or facsimile) with (mode or protocol))	USPAT	OR	ON	2009/03/17 17:27
S21	880	S18 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 17:27
S22	112	S21 and ((fax or facsimile) with (mode or protocol))	USPAT	OR	ON	2009/03/17 17:27

S23	10	S22 and ((internet or lan or wan to ftp or (scan\$5 near3 (e\$3mail or mail)))) with (mode or protocol))	USPAT	OR	ON	2009/03/17 17:27
S24	4	S23 and (resolution near5 (scan\$5 or read \$5))	USPAT	OR	ON	2009/03/17 17:28
S25	10	S22 and ((smtp or internet or lan or wan to ftp or (scan\$5 near3 (e\$3mail or mail)))) with (mode or protocol))	USPAT	OR	ON	2009/03/17 17:38
S26	22155	(resolution) with (ultra \$8 or fine or superfine or normal)	USPAT	OR	ON	2009/03/17 17:39
S27	16177	(resolution) with (fine or superfine or normal)	USPAT	OR	ON	2009/03/17 17:39
S28	16177	(resolution) with (fine or super\$3fine or normal)	USPAT	OR	ON	2009/03/17 17:39
S29	12106	(resolution) with (fine)	USPAT	OR	ON	2009/03/17 17:40
S30	1079	S29 and (resolution) with (ultra\$8 or superfine or normal)	USPAT	OR	ON	2009/03/17 17:40
S31	43	S30 and ((fax or facsimile) with (resolution))	USPAT	OR	ON	2009/03/17 17:41
S32	1	S31 and ((smtp or internet or lan or wan to ftp or (scan\$5 near3 (e\$3mail or mail)))) with (resolution))	USPAT	OR	ON	2009/03/17 17:41
S33	21849	(resolution) with (fine or standard)	USPAT	OR	ON	2009/03/17 17:45
S34	1029	S33 and (resolution) with (ultra or ultrafine or super or superfine)	USPAT	OR	ON	2009/03/17 17:46
S35	74	S34 and ((fax or facsimile or pstn or telephon\$5) with (resolution))	USPAT	OR	ON	2009/03/17 17:46
S36	1	S35 and ((smtp or internet or lan or wan to ftp or (scan\$5 near3 (e\$3mail or mail)))) with (resolution))	USPAT	OR	ON	2009/03/17 17:47

S37	250	S34 and ((color or fax or facsimile or pstn or telephon\$5) with (resolution))	USPAT	OR	ON	2009/03/17 17:47
S38	22	S37 and ((monochrome or smtp or internet or lan or wan to ftp or (scan\$5 near3 (e \$3mail or mail))) with (resolution))	USPAT	OR	ON	2009/03/17 17:48
S39	4	S34 and ((g3) with (resolution))	USPAT	OR	ON	2009/03/17 17:50
S40	21849	(resolution) with (fine or standard)	USPAT	OR	ON	2009/03/18 10:05
S41	1029	S40 and (resolution) with (ultra or ultrafine or super or superfine)	USPAT	OR	ON	2009/03/18 10:05
S42	4	S41 and ((g3) with (resolution))	USPAT	OR	ON	2009/03/18 10:05
S43	22263	(resolution or dpi) with (fine or standard)	USPAT	OR	ON	2009/03/18 10:13
S44	1045	S43 and (resolution or dpi) with (ultra or ultrafine or super or superfine)	USPAT	OR	ON	2009/03/18 10:13
S45	77	S44 and ((fax or facsimile or pstn or telephon\$5) with (resolution or dpi))	USPAT	OR	ON	2009/03/18 10:14
S46	1	S45 and ((smtp or internet or lan or wan to ftp or (scan\$5 near3 (e\$3mail or mail))) with (resolution or dpi))	USPAT	OR	ON	2009/03/18 10:14
S47	42244	(resolution or dpi) same (fine or standard)	USPAT	OR	ON	2009/03/18 10:15
S48	2180	S47 and (resolution or dpi) same (ultra or ultrafine or super or superfine)	USPAT	OR	ON	2009/03/18 10:15
S49	5473	9and ((fax or facsimile or pstn or telephon\$5) same (resolution or dpi))	USPAT	OR	ON	2009/03/18 10:15

S50	790	S49 and ((smtp or internet or lan or wan to ftp or (scan\$5 near3 (e\$3mail or mail))) same (resolution or dpi))	USPAT	OR	ON	2009/03/18 10:16
S51	223	S50 and ((scan\$5 or read\$5) with (resolution or dpi))	USPAT	OR	ON	2009/03/18 10:16
S52	156	S51 and ((image or document or file or picture) with (transmi\$7 or send\$3))	USPAT	OR	ON	2009/03/18 10:17
S53	99	S51 and ((image or document or file or picture) with (transmi\$7 or send\$3) with (fax or facsimile or pstn or telephon\$5))	USPAT	OR	ON	2009/03/18 10:20
S54	84	S53 and ((image or document or file or picture) with (transmi\$7 or send\$3) with (smtp or internet or lan or wan to ftp or (scan\$5 near3 (e\$3mail or mail))))	USPAT	OR	ON	2009/03/18 10:20
S55	18	S54 and (resolution with (lut or lookup or table or chart))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 10:22
S56	201	S48 and ((fax or facsimile or pstn or telephon\$5) same (resolution or dpi))	USPAT	OR	ON	2009/03/18 10:31
S57	21	S56 and ((smtp or internet or lan or wan to ftp or (scan\$5 near3 (e\$3mail or mail))) same (resolution or dpi))	USPAT	OR	ON	2009/03/18 10:31
S58	12	S57 and ((scan\$5 or read\$5) with (resolution or dpi))	USPAT	OR	ON	2009/03/18 10:31
S59	59	S48 and ((color with mode) same (resolution or dpi))	USPAT	OR	ON	2009/03/18 10:37

S60	11	S59 and ((monochrom\$7 with mode) same (resolution or dpi))	USPAT	OR	ON	2009/03/18 10:37
S61	10346	((select\$5 or choos\$5 or designat\$5) with (color or monochrom\$6)) same (transmi\$7 or send\$5)	USPAT	OR	ON	2009/03/18 10:51
S62	610	S61 and ((select\$5 or choos\$5 or designat\$5) with (quality or fine or superfine or ultrafine or standard)) same (transmi\$7 or send\$5)	USPAT	OR	ON	2009/03/18 10:52
S63	71	S62 and ((color or monochrom\$6) same (quality or fine or superfine or ultrafine or standard) same ((select\$5 or choos\$5 or designat\$5 or assign\$8) with (resolution or dpi)))	USPAT	OR	ON	2009/03/18 10:53
S64	81582	((select\$5 or choos\$5 or designat\$5) with (mode or method or protocol or standard)) same (transmi\$7 or send\$5)	USPAT	OR	ON	2009/03/18 11:09
S65	53517	((select\$5 or choos\$5 or designat\$5) with (mode or method or protocol or standard)) with (transmi\$7 or send\$5)	USPAT	OR	ON	2009/03/18 11:09
S66	5475	S65 and ((select\$5 or choos\$5 or designat\$5) with (quality or fine or superfine or ultrafine or standard)) with (transmi\$7 or send\$5)	USPAT	OR	ON	2009/03/18 11:09

S68	155	S68 and ((mode or method or protocol or standard)) with (transmi \$7 or send\$5)) same ((quality or fine or superfine or ultrafine or standard) with (transmi \$7 or send\$5)) same ((select\$5 or choos\$5 or designat\$5 or assign \$8 or predetermined or set or programm\$5) with (resolution or dpi))	USPAT	OR	ON	2009/03/18 11:11
S69	42	S68 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 11:12
S70	13	S68 and ((mode or method or protocol or standard) with (transmi \$7 or send\$5) with (differ\$6 or unique) with (resolution or dpi)) and ((quality or fine or superfine or ultrafine or standard) with (transmi \$7 or send\$5) with (differ\$6 or unique) with (resolution or dpi))	USPAT	OR	ON	2009/03/18 11:42
S71	18	S68 and ((mode or method or protocol or standard) with (differ\$6 or unique) with (resolution or dpi)) and ((quality or fine or superfine or ultrafine or standard) with (differ\$6 or unique) with (resolution or dpi))	USPAT	OR	ON	2009/03/18 11:43
S72	2	"20040049734".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 13:37
S73	2	"20010055126".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 14:09
S74	2	"20040049734".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 14:47

S75	2	"5719686".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 11:23
S76	1	"7061653".pn. and scan \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 11:31
S77	0	"7061653".pn. and resolutio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 11:31
S78	1	"7061653".pn. and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 11:32
S79	1	"7061653".pn. and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 11:34
S80	53517	((select\$5 or choos\$5 or designat\$5) with (mode or method or protocol or standard)) with (transmi\$7 or send \$5)	USPAT	OR	ON	2009/03/19 11:36
S81	5475	S80 and ((select\$5 or choos\$5 or designat\$5) with (quality or fine or superfine or ultrafine or standard)) with (transmi \$7 or send\$5)	USPAT	OR	ON	2009/03/19 11:36
S82	155	S81 and (((mode or method or protocol or standard)) with (transmi \$7 or send\$5)) same ((quality or fine or superfine or ultrafine or standard) with (transmi \$7 or send\$5)) same ((select\$5 or choos\$5 or designat\$5 or assign \$8 or predetermined or set or programm\$5) with (resolution or dpi))	USPAT	OR	ON	2009/03/19 11:36
S83	0	S82 and kohri	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 11:36

S84	1	S81 and kohri	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 11:37
S85	469	S81 and (quality with (coarse or fine or superfine or ultrafine or standard))	USPAT	OR	ON	2009/03/19 11:37
S86	46	S85 and (((mode or method or protocol or standard)) with (transmi \$7 or send\$5)) same ((quality or coarse or fine or superfine or ultrafine or standard) with (transmi\$7 or send \$5)) same ((select\$5 or choos\$5 or designat\$5 or assign\$8 or predetermined or set or programm\$5) with (resolution or dpi))	USPAT	OR	ON	2009/03/19 11:38
S87	31	S85 and (((mode or method or protocol or standard)) near3 (transmi\$7 or send\$5 or select\$5 or chosen or designat\$5 or assign \$6)) same ((quality or coarse or fine or superfine or ultrafine or standard) near3 (transmi\$7 or send\$5 or select\$5 or chosen or designat\$5 or assign \$6)) same ((select\$5 or choos\$5 or designat\$5 or assign\$8 or predetermined or set or programm\$5) near3 (resolution or dpi))	USPAT	OR	ON	2009/03/19 11:52
S88	32	S85 and (((mode or method or protocol or standard)) near3 (transmi\$7 or send\$5 or select\$5 or chosen or designat\$5 or assign \$6)) same ((quality or coarse or fine or superfine or ultrafine or standard) near3 (transmi\$7 or send\$5	USPAT	OR	ON	2009/03/19 11:52

		or select\$5 or chosen or designat\$5 or assign \$6)) same ((select\$5 or choos\$5 or designat\$5 or assign\$8 or predetermined or set\$4 or programm\$5) near3 (resolution or dpi))				
S89	5	S85 and (((mode or method or protocol or standard)) near3 (transmi\$7 or send\$5 or select\$5 or chosen or designat\$5 or assign \$6)) same ((quality or coarse or fine or superfine or ultrafine or standard) near3 (transmi\$7 or send\$5 or select\$5 or chosen or designat\$5 or assign \$6)) same ((select\$5 or choos\$5 or designat\$5 or assign\$8 or predetermined or set\$4 or programm\$5) near3 (dpi or "lines/mm"))	USPAT	OR	ON	2009/03/19 12:23
S90	0	((((mode or method or protocol or standard)) near4 (transmi\$7 or send\$5) near4 (select \$5 or chosen or designat\$5 or assign \$6)) same ((quality or coarse or fine or superfine or ultrafine or standard) near3 (select \$5 or chosen or designat\$5 or assign \$6)) same ((select\$5 or choos\$5 or designat\$5 or assign\$8 or predetermined or set\$4 or programm\$5) near3 (dpi or "lines/mm"))	USPAT	OR	ON	2009/03/19 12:25

S91	2	(((((mode or method or protocol or standard)) near4 (transmi\$7 or send\$5) near4 (select \$5 or chosen or designat\$5 or assign \$6)) same ((quality or coarse or fine or superfine or ultrafine or standard) near3 (select \$5 or chosen or designat\$5 or assign \$6)) same ((select\$5 or choos\$5 or designat\$5 or assign\$8 or predetermined or set\$4 or programm\$5) near6 (dpi or "lines/mm"))	USPAT	OR	ON	2009/03/19 12:26
S92	9	(((((mode or method or protocol or standard)) near4 (transmi\$7 or send\$5)) same ((quality or coarse or fine or superfine or ultrafine or standard)) same ((select\$5 or choos\$5 or designat\$5 or assign\$8 or predetermined or set\$4 or programm\$5) near6 (dpi or "lines/mm"))	USPAT	OR	ON	2009/03/19 12:26
S93	7	(((((mode or method or protocol or standard)) near4 (color or monochrom\$5)) same ((quality or coarse or fine or superfine or ultrafine or standard)) same ((select\$5 or choos\$5 or designat\$5 or assign\$8 or predetermined or set\$4 or programm\$5) near6 (dpi or "lines/mm"))	USPAT	OR	ON	2009/03/19 13:24

S94	161	((((mode or method or protocol or standard)) near4 (color or monochrom\$5)) same ((quality or coarse or fine or superfine or ultrafine or standard)) same ((dpi or "lines/mm"))	USPAT	OR	ON	2009/03/19 13:26
S95	72	S94 and ((mode or method or protocol or standard) near4 (color or monochrom\$5)) same (transmi\$7 or send\$5)	USPAT	OR	ON	2009/03/19 13:27
S96	154	((((mode or method or protocol or standard)) near4 (color)) same ((quality or coarse or fine or superfine or ultrafine or standard)) same ((dpi or "lines/mm"))	USPAT	OR	ON	2009/03/19 13:28
S97	5	S96 and (((mode or method or protocol or standard)) near4 (monochrom\$5)) same ((quality or coarse or fine or superfine or ultrafine or standard)) same ((dpi or "lines/mm"))	USPAT	OR	ON	2009/03/19 13:28
S98	161	((((mode or method or protocol or standard or transmi\$7 or send\$5 or communicat\$5)) near4 (color)) same ((quality or coarse or fine or superfine or ultrafine or standard)) same ((dpi or "lines/mm"))	USPAT	OR	ON	2009/03/19 13:30

S99	6	S98 and (((mode or method or protocol or standard or transmi\$7 or send\$5 or communicat\$5)) near4 (monochrom\$5)) same ((quality or coarse or fine or superfine or ultrafine or standard)) same ((dpi or "lines/mm"))	USPAT	OR	ON	2009/03/19 13:31
S100	1430	(((mode or method or protocol or standard or transmi\$7 or send\$5 or communicat\$5)) near4 (color)) same ((quality or coarse or fine or superfine or ultrafine or standard)) same ((resolution))	USPAT	OR	ON	2009/03/19 13:31
S101	59	S100 and (((mode or method or protocol or standard or transmi\$7 or send\$5 or communicat\$5)) near4 (monochrom\$5)) same ((quality or coarse or fine or superfine or ultrafine or standard)) same ((resolution))	USPAT	OR	ON	2009/03/19 13:32
S102	16	S101 and ((resolution) with (dpi or "lines/mm" or "lines / mm"))	USPAT	OR	ON	2009/03/19 13:32
S103	13	S102 and ((resolution) or (dpi or "lines/mm" or "lines / mm")) with (scan \$5 or read\$5)	USPAT	OR	ON	2009/03/19 13:33
S104	83	(((mode or method or protocol or standard or transmi\$7 or send\$5 or communicat\$5) near4 (color)) same ((quality with (coarse or fine or superfine or ultrafine or standard)) same (resolution))	USPAT	OR	ON	2009/03/19 13:39

S105	2	S104 and (((mode or method or protocol or standard or transmi\$7 or send\$5 or communicat\$5) near4 (monochrom\$6)) same ((quality) with (coarse or fine or superfine or ultrafine or standard)) same (resolution))	USPAT	OR	ON	2009/03/19 13:39
S106	2	S104 and (((mode or method or protocol or standard or transmi\$7 or send\$5 or communicat\$5) near4 (monochrom\$6)) same ((coarse or fine or superfine or ultrafine or standard)) same (resolution))	USPAT	OR	ON	2009/03/19 13:40
S107	928	((((mode or method or protocol or standard or transmi\$7 or send\$5 or communicat\$5) near4 (color)) same (coarse or fine or superfine or ultrafine or standard)) same (resolution))	USPAT	OR	ON	2009/03/19 13:41
S108	38	S107 and (((mode or method or protocol or standard or transmi\$7 or send\$5 or communicat\$5) near4 (monochrom\$6)) same ((coarse or fine or superfine or ultrafine or standard)) same (resolution))	USPAT	OR	ON	2009/03/19 13:41
S109	8	S108 and ((resolution) with (dpi or "lines/mm" or "lines / mm"))	USPAT	OR	ON	2009/03/19 13:41
S110	2	"5488483".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 13:59
S111	2	"5719686".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 15:06

S112	1	"7061653".pn. and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 15:53
S113	0	"7061653".pn. and fine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 15:54
S114	0	"7061653".pn. and super\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 15:54
S115	1	"7061653".pn. and dpi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 15:54
S116	1	"7061653".pn. and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 15:54
S117	1	"7061653".pn. and main adj2 scan\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 16:50
S118	1	"7061653".pn. and transmission adj3 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 16:53
S119	0	"7061653".pn. and high adj3 resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 16:55
S120	1	"7061653".pn. and high \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 16:55
S121	1	"7061653".pn. and definition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 16:56

3/23/09 1:08:21 PM

C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\10068414.031709.wsp